

L Number	Hits	Search Text	DB	Time stamp
1	4006	((707/3-4) or (700/100)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 08:59
2	803	(717/101-109).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 09:00
3	460	(717/114-117).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 09:00
4	258	(717/120-123).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/08 09:00
-	49	(@ad<=19991006 or @rlad<=19991006) and (software near2 develop\$5).ab. and (reuse and design)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 12:50
-	49	((@ad<=19991006 or @rlad<=19991006) and (software near2 develop\$5).ab. and (reuse and design)) not Bowman.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 12:48
-	55	(functional adj requirement\$1) and (matrix same map\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/02 13:24
-	34	((functional adj requirement\$1) and (matrix same map\$4)) and (@ad<=19991006 or @rlad<=19991006)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 09:24
-	11	((functional adj requirement\$1) and (matrix same map\$4)) and (@ad<=19991006 or @rlad<=19991006) and (software same (reuse or design))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 12:01
-	39	((@ad<=19991006 or @rlad<=19991006) and (software near2 develop\$5).ab. and (reuse and design)) and (software same (reuse or design))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 13:31
-	3	((design adj2 (parameter\$1 or specification\$1)) same (functional adj2 requirement\$1)) and (software near2 development)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 11:55
-	2	((model or object or logic) adj2 (parameter\$1 or specification\$1 or attribut\$3 or definition\$1)) same (functional adj2 requirement\$1)) and (software near2 development)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 12:00
-	12	((mapping or matrix) same (functional adj2 requirement\$1)) and (software near2 development)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 12:01
-	6	((mapping or matrix) same (functional adj2 requirement\$1)) and (software near2 development)) and (@ad<=19991006 or @rlad<=19991006) and (software same (reuse or design))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 12:01

-	23	(345/644).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 15:54
-	60196	("345").CLAS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 15:54
-	533	((("345").CLAS.) and(object and software).clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 15:55
-	84	((("345").CLAS.) and(object and software).clm.) and (matrix)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 15:55
-	29	((("345").CLAS.) and(object and software).clm.) and (matrix)) and (@ad<=19991006 or @rlad<=19991006) and (software same (reuse or design))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 16:08
-	24	((("345").CLAS.) and (requirements near2 functional) and (software same (design or model\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 13:06
-	10	((("345").CLAS.) and (requirements near2 functional) and (software same (design or model\$4))) and (@ad<=19991006 or @rlad<=19991006) and (software same (reuse or object))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 16:08
-	34	((functional adj requirement\$1) and (matrix same map\$4)) and (@ad<=19991006 or @rlad<=19991006)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 09:28
-	8	(mapping near5 (requirements near2 functional)) and (software same (design or model\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 13:20
-	5	("4862376" "4918614" "5050091" "5109337" "5119314").PN.	USPAT	2003/09/04 13:10
-	41	5109337.URPN.	USPAT	2003/09/04 13:12
-	6	5109337.URPN. and (requirements near2 functional) and map\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 13:25
-	4	UML and (relationship near6 (requirement same design))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 13:29
-	20	(QFD or (axiomatic near4 (design or approach or development))) and (software same requirement)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 13:31
-	12	((QFD or (axiomatic near4 (design or approach or development))) and (software same requirement)) and (@ad<=19991006 or @rlad<=19991006)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 13:39

-	59	UML and (requirement\$1 same (map\$4 or correlat\$5)) and (software near3 design)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 13:38
-	536	model\$4 and (requirement\$1 same (map\$4 or correlat\$5)) and (software near3 design)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 13:38
-	361	(matrix or array or table) same (functional adj2 requirement\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 13:39
-	340	(model\$4 and (requirement\$1 same (map\$4 or correlat\$5)) and (software near3 design)) and (@ad<=19991006 or @rlad<=19991006)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 13:48
-	2	((model\$4 and (requirement\$1 same (map\$4 or correlat\$5)) and (software near3 design)) and (@ad<=19991006 or @rlad<=19991006)) and ((model\$4 and (requirement\$1 same (map\$4 or correlat\$5)) and (software near3 design)) and ((matrix or array or table) same (functional adj2 requirement\$1)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 13:40
-	2	((model\$4 and (requirement\$1 same (map\$4 or correlat\$5)) and (software near3 design)) and ((matrix or array or table) same (functional adj2 requirement\$1))) and (@ad<=19991006 or @rlad<=19991006)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 13:41
-	2	((model\$4 and (requirement\$1 same (map\$4 or correlat\$5)) and (software near3 design)) and ((matrix or array or table) same (functional adj2 requirement\$1))) and 717/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 13:41
-	99	(model\$4 and (requirement\$1 same (map\$4 or correlat\$5)) and (software near3 design)) and ((matrix or array or table) same (functional adj2 requirement\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 13:42
-	41	((model\$4 and (requirement\$1 same (map\$4 or correlat\$5)) and (software near3 design)) and ((matrix or array or table) same (functional adj2 requirement\$1))) not Hoffman.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 13:42
-	15	((model\$4 and (requirement\$1 same (map\$4 or correlat\$5)) and (software near3 design)) and ((matrix or array or table) same (functional adj2 requirement\$1))) not Hoffman.in.) not Menninger.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 13:43
-	6	((model\$4 and (requirement\$1 same (map\$4 or correlat\$5)) and (software near3 design)) and ((matrix or array or table) same (functional adj2 requirement\$1))) not Hoffman.in.) not "supply chain".clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 13:43
-	9	(US-6411806-\$ or US-5500800-\$ or US-6523027-\$ or US-5745390-\$ or US-5359523-\$ or US-6343285-\$ or US-5552995-\$ or US-6067639-\$).did. or (US-20020093980-\$).did.	USPAT; US-PGPUB	2003/09/04 13:44
-	59	((requirement\$1 near4 (trac\$3 or traceability)) or (FP1 and FP2)) and 717/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 13:47

-	44	((requirement\$1 near4 (trac\$3 or traceability)) or (FP1 and FP2)) and 717/\$) and (@ad<=19991006 or @rlad<=19991006)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 13:48
-	1	((requirement\$1 near4 (trac\$3 or traceability)) or (FP1 and FP2)) and 717/\$) and (@ad<=19991006 or @rlad<=19991006)) and ((matrix or matrices) same (requirements or trac\$7 or mapping))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 13:55
-	36	((requirement\$1 near4 (trac\$3 or traceability)) or (FP1 and FP2)) and 717/\$) and (@ad<=19991006 or @rlad<=19991006)) and (requirements near7 (trac\$7 or mapping))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 14:05
-	20	("4558413" "5193185" "5515491" "5655130" "5701400" "5767848" "5812849" "5835701" "5835911" "5862386" "5903897" "5966707" "5991534" "6003042" "6119117" "6151709" "6167564" "6195658" "6195795" "6272678").PN.	USPAT	2003/09/04 14:02
-	1	6336217.URPN.	USPAT	2003/09/04 14:11
-	1	Scandura.in. and (requirements and trac\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 16:42
-	2	("20020042687").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 16:44
-	0	20020042687.URPN.	USPAT	2003/09/04 16:44
-	0	("Tracy.in.andtraceability").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 16:44
-	5	Tracy.in. and traceability	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 16:44
-	457	Tracy.in. and requirements	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 09:12
-	101	(Tracy.in. and requirements) and matrix	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 09:18
-	15	(Tracy.in. and requirements) and (requirements same matrix)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 09:20
-	41	"requirements traceability matrix" or "axiomatic design"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 09:26
-	32	("requirements traceability matrix" or "axiomatic design") and (@ad<=19991006 or @rlad<=19991006)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 10:03

-	13	((("requirements traceability matrix" or "axiomatic design") and (@ad<=19991006 or @rlad<=19991006)) not satellite	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 09:23
-	3	(requirements near3 (mapping near4 design)) and (software adj2 develop\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 09:53
-	9	(requirements near2 (driven or mapping or based)) same (software adj (design or development))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 10:03
-	7	((requirements near2 (driven or mapping or based)) same (software adj (design or development))) and (@ad<=19991006 or @rlad<=19991006)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 11:22
-	11	(US-6411806-\$ or US-5500800-\$ or US-5359523-\$ or US-6523027-\$ or US-5745390-\$ or US-6343285-\$ or US-5552995-\$ or US-6067639-\$ or US-6442748-\$ or US-6336217-\$).did. or (US-20020093980-\$).did.	USPAT; US-PGPUB	2003/09/05 10:17
-	3	((US-6411806-\$ or US-5500800-\$ or US-5359523-\$ or US-6523027-\$ or US-5745390-\$ or US-6343285-\$ or US-5552995-\$ or US-6067639-\$ or US-6442748-\$ or US-6336217-\$).did. or (US-20020093980-\$).did.) and ("functional requirements" near5 (design or parameters or specification))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 10:07
-	7	"functional requirements" near7 (design adj2 (parameters or specifications or variable\$1 or input\$1))	USPAT; US-PGPUB	2003/09/05 10:18
-	10	(requirements near7 (design adj2 (parameters or specifications or variable\$1 or input\$1))) and 717/\$	USPAT; US-PGPUB	2003/09/05 10:19
-	0	6405189.URPN.	USPAT	2003/09/05 10:23
-	5	("5327568" "5671415" "5835712" "5873097" "6192367").PN.	USPAT	2003/09/05 10:23
-	13	("4734854" "4742467" "4831525" "4949253" "4965741" "5084813" "5119479" "5243689" "5249135" "5263164" "5295222" "5371807" "5475587").PN.	USPAT	2003/09/05 11:17
-	512	(requirement\$1 same (design adj2 (parameters or specifi\$6))) and (UML or reuse or (case adj tools))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 11:18
-	36	((requirement\$1 same (design adj2 (parameters or specifi\$6))) and (UML or reuse or (case adj tools))) and 717/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 11:21
-	5	((requirement\$1 same (design adj2 (parameters or specifi\$6))) and (UML or reuse or (case adj tools))) and (requirement\$1 near5 (matrix or mapping)) and ((develop\$4 or generat\$4) adj2 code)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 11:52
-	24	((requirement\$1 same (design adj2 (parameters or specifi\$6))) and (UML or reuse or (case adj tools))) and 717/\$ not Bowman.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 11:22

-	17	((requirement\$1 same (design adj2 (parameters or specifi\$6))) and (UML or reuse or (case adj tools))) and 717/\$) not LLP.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 11:22
-	9	((((requirement\$1 same (design adj2 (parameters or specifi\$6))) and (UML or reuse or (case adj tools))) and 717/\$) not LLP.as.) and (@ad<=19991006 or @rlad<=19991006)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 11:22
-	2	("6,523,027").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/05 11:52
-	15	(US-6411806-\$ or US-5500800-\$ or US-5359523-\$ or US-6523027-\$ or US-5745390-\$ or US-6343285-\$ or US-5552995-\$ or US-6067639-\$ or US-6442748-\$ or US-6336217-\$ or US-5748973-\$ or US-6405189-\$ or US-4734854-\$ or US-5159687-\$).did. or (US-20020093980-\$).did.	USPAT; US-PGPUB	2003/09/06 14:22
-	2	((US-6411806-\$ or US-5500800-\$ or US-5359523-\$ or US-6523027-\$ or US-5745390-\$ or US-6343285-\$ or US-5552995-\$ or US-6067639-\$ or US-6442748-\$ or US-6336217-\$ or US-5748973-\$ or US-6405189-\$ or US-4734854-\$ or US-5159687-\$).did. or (US-20020093980-\$).did.) and (Underwood.in. or Richburg.in.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/06 16:02
-	11	(Gantt adj chart) and (design or development or object-oriented) and 717/\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/06 16:02
-	5	((Gantt adj chart) and (design or development or object-oriented) and 717/\$) and (@ad<=19991006 or @rlad<=19991006)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/06 16:04
-	1	((Gantt adj chart) and (design or development or object-oriented) and 717/\$) and (@ad<=19991006 or @rlad<=19991006)) and (validat\$4 or "functional requirements" or "system requirements")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/06 16:04